



JW LIGHTS m BATHROOM
Blk69 Toa Payoh Lor 4 #01-371 S(310069)
+65 6980 5207 | +65 9878 2388

**LED
CEILING LIGHT**

www.jinwang.com.sg





JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



Black



BK+GD



White



WH+GD



WH+GR



GR+GD

3835RD-23W

Black / BK+GD / White / WH+GD / WH+GR / GR+GD

LAMP PLATE:

Φ230mm/3nails

LAMP SHADE:

Φ260mm

LUMINOUS FLUX:

2530 Lm

POWER CONSUMPTION:

23 Watt

COLOR RENDERING:

Ra>90

LUMEN PER WATT:

110 Lm/Watt

COLOR TEMPERATURE:

CCT





JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



3831RD-23W
White / Black

LAMP PLATE:
LAMP SHADE:
LUMINOUS FLUX:
POWER CONSUMPTION:
COLOR RENDERING:
LUMEN PER WATT:
COLOR TEMPERATURE:

Φ250mm/3nails
Φ280mm
2530 Lm
23 Watt
Ra>90
110 Lm/Watt
CCT



3830SQ-30W
Black / Silvery / Gold



DIMENSION:
LUMINOUS FLUX:
POWER CONSUMPTION:
COLOR RENDERING:
LUMEN PER WATT:
COLOR TEMPERATURE:

L280x280mm
3300 Lm
30 Watt
Ra>90
110 Lm/Watt
CCT





JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



BK+LW



WH+LW



WH+GD



WH+GR



White



WH+BK

3823RD-23W

BK+LW/WH+LW/WH+GD/WH+GR/WH/WH+BK

LAMP PLATE: $\Phi 230\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 260\text{mm}$
LUMINOUS FLUX: 2530 Lm
POWER CONSUMPTION: 23 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3823RD-36W

WH+LW/BK+LW/WH+GD

LAMP PLATE: $\Phi 350\text{mm}/4\text{nails}$
LAMP SHADE: $\Phi 390\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1





JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



3839RD-23W
White / WH+BU

LAMP PLATE:	Φ230mm/3nails
LAMP SHADE:	Φ260mm
LUMINOUS FLUX:	2530 Lm
POWER CONSUMPTION:	23 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	CCT



3832RD-23W
WH+LW / WH+DW

LAMP PLATE:	Φ250mm/3nails
LAMP SHADE:	Φ280mm
LUMINOUS FLUX:	2530 Lm
POWER CONSUMPTION:	23 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	CCT



3832RD-36W
WH+LW / WH+DW

LAMP PLATE:	Φ350mm/3nails
LAMP SHADE:	Φ410mm
LUMINOUS FLUX:	3960 Lm
POWER CONSUMPTION:	36 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	CCT





JW LIGHTS M BATHROOM
Blk69 Toa Payoh Lor 4 #01-371 S(310069)
+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



3801RD-36W
White



LAMP PLATE: Φ 350mm/3nails
LAMP SHADE: Φ 450mm/3nails
LUMINOUS FLUX: Φ 410mm / Φ 510mm
3960-5280 Lm
POWER CONSUMPTION: 36 Watt / 48 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3802RD-36W
Coffee



LAMP PLATE: Φ 350mm/3nails
LAMP SHADE: Φ 410mm
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3803RD-36W
Gray



LAMP PLATE: Φ 350mm/3nails
LAMP SHADE: Φ 410mm
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3805RD-36W
Coffee



LAMP PLATE: Φ 350mm/3nails
LAMP SHADE: Φ 410mm
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT

www.jinwang.com.sg



3806RD-36W
Clear



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3809RD-36W
Clear



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3810RD-36W
Clear



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3811RD-36W
Clear



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg





JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT



3830RD-36W
White / Gold



3831RD-36W
White / Black



LAMP PLATE: $\Phi 350\text{mm}/4\text{nails}$
LAMP SHADE: $\Phi 400\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1

LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT



JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT



3813RD-36W
White



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3828RD-36W
WH+GD



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3833RD-36W
Clear



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT



3838RD-36W
Clear



LAMP PLATE: $\Phi 350\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 410\text{mm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



3827RD-36W
WH+GD / CF+GD

LAMP PLATE:	Φ350mm/4nails
LAMP SHADE:	Φ410mm
LUMINOUS FLUX:	3960 Lm
POWER CONSUMPTION:	36 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3in1



3837RD-36W
CR+SR / CR+GD

LAMP PLATE:	Φ350mm/3nails
LAMP SHADE:	Φ410mm
LUMINOUS FLUX:	3960 Lm
POWER CONSUMPTION:	36 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	CCT





JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT



3822RD-36W

WH+LW / WH+DW



LAMP PLATE:
LAMP SHADE:
LUMINOUS FLUX:
POWER CONSUMPTION:
COLOR RENDERING:
LUMEN PER WATT:
COLOR TEMPERATURE:

Φ350mm/3nails
Φ410mm
3960 Lm
36 Watt
Ra>90
110 Lm/Watt
3in1

3822RD-48W

WH+LW / WH+DW



LAMP PLATE:
LAMP SHADE:
LUMINOUS FLUX:
POWER CONSUMPTION:
COLOR RENDERING:
LUMEN PER WATT:
COLOR TEMPERATURE:

Φ450mm/3nails
Φ510mm
5280 Lm
48 Watt
Ra>90
110 Lm/Watt
3in1





JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT



3801RD-48W
White



LAMP PLATE: $\Phi 450\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 510\text{mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3801SQ-48W
White



LAMP PLATE: L450xW450mm
LAMP SHADE: L500xW500mm
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3803SQ-48W
Gray



LAMP PLATE: L450xW450mm
LAMP SHADE: L500xW500mm
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



3803RD-48W
Gray



LAMP PLATE: $\Phi 450\text{mm}/3\text{nails}$
LAMP SHADE: $\Phi 510\text{mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: 3in1



JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg

www.jinwang.com.sg



3802SQ-48W
Coffee



LAMP PLATE:	L450xW450mm
LAMP SHADE:	L500xW500mm
LUMINOUS FLUX:	5280 Lm
POWER CONSUMPTION:	48 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3in1



3806RD-48W
Clear



LAMP PLATE:	Φ450mm/3nails
LAMP SHADE:	Φ510mm
LUMINOUS FLUX:	5280 Lm
POWER CONSUMPTION:	48 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3in1

3829RD-80W
White / Black



DIMENSION:	Φ500mm
LUMINOUS FLUX:	8800 Lm
POWER CONSUMPTION:	80 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	RGB



JW LIGHTS m BATHROOM
Blk69 Toa Payoh Lor 4 #01-371 S(310069)
+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

**LED
CEILING LIGHT**



3861RD-48W
White



DIMENSION: $\Phi 400 \times H90 \text{ mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT



3862RD-48W
White



DIMENSION: $\Phi 390 \times H110 \text{ mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT





JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED CEILING LIGHT

www.jinwang.com.sg



2801RD-48W

White / Brushed Gray



DIMENSION: $\Phi 392 \times H50 \text{mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT
MATERIAL: Aluminum+PP



2802RD-48W

White / Brushed Gray



DIMENSION: $\Phi 403 \times H55 \text{mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT
MATERIAL: Aluminum+PP



2801SQ-48W

White / Brushed Gray



DIMENSION: $L552 \times W252 \times H50 \text{mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT
MATERIAL: Aluminum+PP



2802SQ-48W

White / Brushed Gray



DIMENSION: $L563 \times W263 \times H55 \text{mm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT
MATERIAL: Aluminum+PP





JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT

SKY MIRROR LAMP

Integrating lighting technology with innovative design concepts to create a comfortable, healthy, and personalized light environment, fostering a warm and cozy living atmosphere.

1. Simulates the spectral distribution of natural sunlight to truly restore the natural colors of objects.
2. Multi-scene mode switching: Equipped with an intelligent chip, preloaded with multiple scene modes.
3. Intelligent dimming and color adjustment: Colors can be freely adjusted via an RGB color palette to achieve the most suitable light brightness and hue.

Sunset Glow Mode



Summer Mode



Clear Sky Mode



Dawn Mode



3863RD-390 / 3863-RD-520
White



LAMP PLATE:

Φ390xH80mm

Φ520xH80mm

LUMINOUS FLUX:

3600 Lm

POWER CONSUMPTION:

60 Watt

COLOR RENDERING:

Ra>97

LUMEN PER WATT:

110 Lm/Watt

COLOR TEMPERATURE:

RGB(1800K-12000K)

SMART MODULE:

Tiny Smart



Sky Mirror Lamp APP Operation Guide

Sky Mirror Lamp APP Download





JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



3860-50W
White / Black



DIMENSION: L600xW200xH50mm
LUMINOUS FLUX: 5500 Lm
POWER CONSUMPTION: 50 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT



Pure White Light	Neutral White Light	Warm Yellow Light
6000K	4000K	3000K
-	-	-

Bright illumination	Warm & Comfortable	Warm Light
---------------------	--------------------	------------



3870-45W
White / Black



DIMENSION: L600xW130xH50mm
LUMINOUS FLUX: 4950 Lm
POWER CONSUMPTION: 45 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT



3890-55W
White / Black



DIMENSION: L900xW130xH50mm
LUMINOUS FLUX: 6050 Lm
POWER CONSUMPTION: 55 Watt
COLOR RENDERING: Ra>90
LUMEN PER WATT: 110 Lm/Watt
COLOR TEMPERATURE: CCT



JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



218RD-24W
White / Black

DIMENSION: $\Phi 17.5\text{cm}$
LUMINOUS FLUX: 2640 Lm
POWER CONSUMPTION: 24 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEM: 3000K/4000K/6500K
MATERIAL: Aluminum+PP



222RD-36W
White / Black

DIMENSION: $\Phi 22.5\text{cm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEM: 3000K/4000K/6500K
MATERIAL: Aluminum+PP

230RD-48W
White / Black

DIMENSION: $\Phi 30\text{cm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEM: 3000K/4000K/6500K
MATERIAL: Aluminum+PP



318SQ-24W
White / Black

DIMENSION: $L17.5 \times W17.5\text{cm}$
LUMINOUS FLUX: 2640 Lm
POWER CONSUMPTION: 24 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEM: 3000K/4000K/6500K
MATERIAL: Aluminum+PP



322SQ-36W
White / Black

DIMENSION: $L22.5 \times W22.5\text{cm}$
LUMINOUS FLUX: 3960 Lm
POWER CONSUMPTION: 36 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEM: 3000K/4000K/6500K
MATERIAL: Aluminum+PP

330SQ-48W
White / Black

DIMENSION: $L30 \times W30\text{cm}$
LUMINOUS FLUX: 5280 Lm
POWER CONSUMPTION: 48 Watt
COLOR RENDERING: $Ra > 90$
LUMEN PER WATT: 110 Lm/Watt
COLOR TEM: 3000K/4000K/6500K
MATERIAL: Aluminum+PP





JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



020RD-20W White / Black



DIMENSION:	Φ17.3cm
LUMINOUS FLUX:	2200 Lm
POWER CONSUMPTION:	20 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP



020SQ-20W White / Black



DIMENSION:	L17.3xW17.3cm
LUMINOUS FLUX:	2200 Lm
POWER CONSUMPTION:	20 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP

030RD-30W White / Black



DIMENSION:	Φ22.2cm
LUMINOUS FLUX:	3300 Lm
POWER CONSUMPTION:	30 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP

030SQ-30W White / Black



DIMENSION:	L22.2xW22.2cm
LUMINOUS FLUX:	3300 Lm
POWER CONSUMPTION:	30 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP

040RD-40W White / Black



DIMENSION:	Φ29.8cm
LUMINOUS FLUX:	4400 Lm
POWER CONSUMPTION:	40 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP

040SQ-40W White / Black



DIMENSION:	L29.8xW29.8cm
LUMINOUS FLUX:	4400 Lm
POWER CONSUMPTION:	40 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP



JW LIGHTS m BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED CEILING LIGHT



050REC-50W

White / Black



DIMENSION:	44.6x22cm
LUMINOUS FLUX:	5500 Lm
POWER CONSUMPTION:	50 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	110 Lm/Watt
LED CHIP:	LED MODULE
COLOR TEMPERATURE:	3000K/4100K/6500K
MATERIAL:	ABS+PP



2803-120

White



DIMENSION:	Φ120mm
FITTING:	G9
COLOR TEMPERATURE:	3000K/4000K/6000K/CCT
MATERIAL:	Metal+glass



2806-150

White



DIMENSION:	Φ150mm
FITTING:	G9
COLOR TEMPERATURE:	3000K/4000K/6000K/CCT
MATERIAL:	Metal+glass