



JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

LED TRACK LIGHTS

3 | TRACK LIGHTS

Ideal for retail environments and home use, these surface-mounted track lights are designed to highlight spaces and objects with precision. Their directional beams can be easily adjusted to focus on displays, shelves, artwork, or specific product features — enhancing visibility and creating a refined, inviting atmosphere.

Ceiling Recessed / Track Spotlights

- Flexible angle adjustment with 90° vertical tilt, allowing you to set the lighting direction as desired.
- Durable aluminum lamp body with a replaceable light source -easy to install and maintain without damaging the ceiling.
- Available in multiple styles to complement a variety of interior designs and spaces.

GU10-5W-CCT-4





JW LIGHTS M BATHROOM

Blk69 Toa Payoh Lor 4 #01-371 S(310069)

+65 6980 5207 | +65 9878 2388

www.jinwang.com.sg

LED TRACK LIGHTS

www.jinwang.com.sg



801-Black/White

DIMENSION:

Φ53xH80mm

MATERIAL:

Aluminum

HOLDER:

GU10



807-Black/White

DIMENSION:

Φ55xH95mm

MATERIAL:

Aluminum

HOLDER:

GU10



BK+DW

BK+BW



WH+LW

WH+DW

812-BK+DW/BK+BW/WH+LW/WH+DW

DIMENSION:

Φ53xH110mm

MATERIAL:

Aluminum

HOLDER:

GU10





JW LIGHTS M BATHROOM
Blk69 Toa Payoh Lor 4 #01-371 S(310069)
+65 6980 5207 | +65 9878 2388

LED TRACK LIGHTS



809-BK+RG/WH+RG

DIMENSION: $\Phi 56 \times H100 \text{mm}$
MATERIAL: Aluminum
HOLDER: GU10



813-BK+DW/WH+LW

DIMENSION: $\Phi 55 \times H95 \text{mm}$
MATERIAL: Aluminum
HOLDER: GU10



815-Black/White

DIMENSION: $\Phi 53 \times H80 \text{mm}$
MATERIAL: Aluminum
HOLDER: GU10



816-Black/White

DIMENSION: $\Phi 55 \times H95 \text{mm}$
MATERIAL: Aluminum
HOLDER: GU10





JW LIGHTS M BATHROOM
Blk69 Toa Payoh Lor 4 #01-371 S(310069)
+65 6980 5207 | +65 9878 2388

LED TRACK LIGHTS



Model 811

Floodlight

Model 810

Grid light



Rotate Left 90°



Unrotated



Rotate Right 90°

810-Black/White

DIMENSION:	L215xW33xH58mm L346xW33xH58mm
MATERIAL:	Aluminum + Plastic
LUMINOUS FLUX:	678 Lm / 1265.5 Lm
POWER CONSUMPTION:	10 Watt / 20 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	61.5 Lm/Watt
LED CHIP:	Bridgelux
BEAM ANGLE:	24°
INPUT:	DC 48V
COLOR TEMPERATURE:	3000K/4000K

811-Black/White

DIMENSION:	L345xW33xH58mm L478xW33xH58mm
MATERIAL:	Aluminum + Plastic
LUMINOUS FLUX:	1065 Lm / 1510.7 Lm
POWER CONSUMPTION:	20 Watt / 30 Watt
COLOR RENDERING:	Ra>90
LUMEN PER WATT:	52.3 Lm/Watt
LED CHIP:	Bridgelux
BEAM ANGLE:	150°
INPUT:	DC 48V
COLOR TEMPERATURE:	3000K/4000K/6000K



6203-Track Black / White

LENGTH:	1M/1.5M/2M/3M
MATERIAL:	Aluminum

